




- 18 variations and combinations
- from pendant to recessed
- housing around the powering supply
- continuous light line in angular connections
- unlimited possibilities in creating light




PROMOTED VARIANTS


BASIC VARIANTS




VARIANTS WITH POWER SUPPLY COVER




RECESSED VARIANTS



SURFACE MOUNTED



POWER SUPPLY COVER




ASSISTANT PROFILES

09


10

FIX16

RECESSED SPACKLE FLANGE MOUNTED




RECESSED MOUNTED




PROMOTED VARIANTS


variant 27 - pendant 09-08-02-C9




variant 15 - ceiling FIX16-08-01-E9



variant 32 - wall side FIX16-08-03-A9




variant 11 - furniture FIX16-01-C9



variant 06 - recessed 06-E9





variant 05 - recessed 05-A9 spackle mounting





SURFACE, POWER SUPPLY COVER

LED profile
01






white anodized black raw

LED profile
02





white anodized black raw

LED profile
03



white anodized black raw


power supply profile
08



white anodized black raw


ASSISTANT PROFILES

cover
09




white anodized black raw

cover
10




white anodized black raw

LED profile
16




white anodized black raw






ENDINGS KNOW HOW



an example VARIANT 18




ENDINGS material: ABS

01 ending	02 ending	03 ending
		
		
ending for profile	white	silver
		black
		grey


08 ENDINGS

material: ABS


08A ending




08B ending



08C ending




08D ending




METAL ENDINGS

material: steel


16-E9 metal ending




19-E9 metal ending




27 metal ending



32 metal ending




34 metal ending




Y flexible mounting plate

material: stainless steel




cone Y flexible mounting plate

material: stainless steel




T mounting plate

material: aluminium



tilted bracket

material: stainless steel, plastic




 please note you need the Y mounting plate that is not included


CONNECTORS
material: aluminium, PC

for profiles **02**


60 deg




90 deg




90 deg bent




120 deg




135 deg



180 deg




270 deg bent



for profiles

03


180 deg




RECESSED PROFILES

Available in stock 



LED profile
04




white anodized black raw




LED profile
05





white anodized black raw




LED profile
06





white anodized black raw



LED profile
07



white anodized black raw




ACCESSORIES


ENDINGS

material: ABS


04 ending




05 ending



06 ending




07 ending




MOUNTINGS


U9 mounting plate
material: stainless steel




cone U9 mounting plate
material: stainless steel



rack U9 mounting plate
material: stainless steel




spring U9 mounting plate
material: stainless steel, aluminium




CONNECTORS
material: aluminium, PC

for profiles


05




135 deg




90 deg




180 deg




90 deg bent



270 deg bent




120 deg




for profiles

07


60 deg




135 deg




90 deg




180 deg




90 deg bent



270 deg bent




120 deg




DIFFUSERS

A9 slide diffuser





Note! Dimensions of the space to install LED source



transparent frosted white

C9 click diffuser




DIFFUSERS


E9 click diffuser



white
material: PMMA




white
material: PMMA




D9 click diffuser



white
material: PMMA




white
material: PMMA



ACCESSORIES


LED clamp

material: steel, plastic




LED clamp

material: steel, plastic



reflector

material: aluminium



LED mounting

material: aluminium

